

# REUSE IT, OR LOSE IT

The Moldex 8000 resposable respirator is a low-maintenance reusable, that's affordable and disposable. It comes pre-assembled with cartridges for most construction applications and there aren't any spare parts to inventory. So respiratory programs are simplified.

# YOUR FACE NEVER HAD IT SO COMFORTABLE

The 8000 Series Respirator conforms to the contours of your face. It seals comfortably. And remains sealed, even while talking. Plus, the seal is extra-wide, so it fits more facial types.

# WITH EACH CARTRIDGE CHANGE YOU GET A NEW INHALATION VALVE

No inhalation valves to stock. No installation. Less maintenance, less parts. And the cartridges snap-in, which eliminates mis-threading.

## **LOW MAINTENANCE**

No gaskets, no yoke. There's less to worry about.

## **LIGHTWEIGHT**

Whether you use gas/vapor cartidges or disks/filters, the 8000 weighs less. Plus, the weight is distributed evenly, without pressure points.

### A BETTER VIEW

The low profile provides a larger field of vision. And makes it easier to wear safety eyewear. Plus straps don't dangle in front of the worker's eyes.



#### **FEATURES**

- Soft, durable facepiece.
- Extra-wide sealing surface.
- Seals comfortably to face.
- Exhalation valve positioned for better communication.
- Low profile for wide field of vision.
- Cartridges have a snap-in mount for easy replacement.
- New inhalation valve on each cartridge.
- New technology P100 disks are extra-lightweight.
- Fewer replacement parts.
- Living hinge allows head harness to be folded comfortably around neck when not in use.



















#### **USE AGAINST**

- Contaminants specified on NIOSH approval label on bag or cartridges or filters.
- Contaminants with good warning properties, i.e. smell, taste or irritation.

#### **DO NOT USE AGAINST**

- Concentrations of contaminants which are unknown, or are immediately dangerous to life or health.
- Concentrations of contaminants which exceed the maximum use concentration or 10 times the OSHA Permissible Exposure Limit, whichever is lower.
- Gases or vapors with poor warning properties or those which generate high heats of reaction, or paint sprays containing isocyanates, or sandblasting.
- 4. Oil-based mists with N filters.

#### **RESTRICTIONS**

- 1. This respirator does not supply oxygen and must not be used in atmospheres containing less than 19.5% oxygen.
- Do not remain in contaminated area if any physical distress occurs, for example breathing difficulty, dizziness or nausea.
- Leave contaminated area and replace respirator and/or cartridge or filter if it is damaged, distorted, a proper fit cannot be obtained, you taste, smell or become irritated by contaminants, or breathing becomes difficult.
- 4. Do not alter, modify, or abuse this respirator.
- Store respirator in sealed bag in a clean, dry, non-contaminated area.
- Dispose of facepiece, and/or cartridges and disks/filters according to your employer's policy and local regulations.
- 7. Filters are required for particulates.
- 8. Where oil mists are present, either alone or in combination with solid particulates, do not use the R or P filters for longer than one eight-hour work shift. Dispose no later than eight hours after first use. Do not exceed 10x PEL or a total of 200 mg loading per respirator, whichever is lower. It is the user's responsibility to know the PEL and concentration of the contaminant, the maximum work rate of the employee, and any other work site-specific information to calculate the loading of the filter. Where oil mists are present do not use N filters.
- 9. Dispose of all cartridges, N, R, P filters no later than thirty days after a) first use, and/or b) removing from sealed bag.
- Use cartridges, filters, and facepieces before the "use by" expiration date printed on box or bag.
- 11. If used for welding, wear appropriate eye and face protection.

#### **TECHNICAL SERVICE HELP LINE**

For technical assistance, call Moldex Technical Service Department at +1 (310) 837-6500 ext. 512/550 or +1 (800) 421-0668 ext. 512/550.

#### **PACKAGING**

1 Facepiece per Polybag 1 Assembled Respirator per Bag		12 Bags per Case 12 Bags per Case
1 Pair Cartridges per Bag	5 Pairs per Box	30 Pairs per Case
5 Pairs Prefilters per Bag		50 Pairs per Case
1 Pair Prefilter Retainers per Bag	10 Pairs per Box	50 Pairs per Case
1 Pair Filter Disks per Bag	5 Pairs per Box	30 Pairs per Case
1 Pair Disk Holders per Bag	5 Pairs per Box	30 Pairs per Case
1 Pair Piggyback Adapters per Bag	5 Pairs per Box	30 Pairs per Case

# LIMITED WARRANTY IMPORTANT NOTICE TO PURCHASER

This limited warranty is made in lieu of the warranties of merchantability, fitness for particular purposes and all other warranties, express or implied.

There are no other warranties which extend beyond the description on the face hereof. The physical standards and specifications of Moldex will be met by products sold. **Exclusive Remedies:** damages for the breach of this limited warranty are limited to the replacement of such quantity of Moldex products proved to be defectively manufactured. Except as provided above, Moldex shall not be liable or responsible for any loss, damages, or liability, direct, indirect, incidental, special or consequential, arising out of a sale, use or misuse, or the inability to use products by the user.

# A

### **WARNING TO USER**

- Follow all instructions and warnings on the use of this respirator and wear during all times of exposure. Failure to do so will reduce respirator effectiveness, wearer protection and may result in sickness or death.
- Before use, the user must first be trained by the employer in proper respirator use, in accordance with applicable safety and health standards, for the contaminant and exposure level in the assigned work area.
- The particulates and other contaminants which can be dangerous to your health include those which you cannot see, taste, or smell.
- 4. This product has not been sold with warnings or use instructions for personnel involved in healthcare or re I a ted situations, where there may be the possibility of contact with disease or biological hazards. If you are considering such uses, first call the Moldex Technical Service Dept., +1 (310) 837-6500 ext. 512/550 or +1 (800) 421-0668 ext. 512/550.

# **DISTRIBUTED BY:**



10111 W. Jefferson Blvd. Culver City, CA 90232 TEL: +1 (800) 421-0668 or +1 (310) 837-6500 FAX +1 (310) 837-9563 www.moldex.com e-mail: sales@moldex.com

## **CANADIAN CUSTOMER SERVICE**

TEL: +1 (310) 837-6500, Ext. 517 FAX: +1 (310) 837-95633

Moldex, Ideas that wear well and Resposable are registered trademarks of Moldex-Metric, Inc. The PVC-Free logo is a trademark of Moldex-Metric, Inc. U.S. Patents #D326,540, #6,298,849, #5,505,197 and #5,736,041 Mode in the U.S.A. 8000-704 REV G 12/09





















