# ONE-STOP PLUGSHOP®



0604 One-Stop PlugShop Starter Kit

# **KEEP AN EARFUL WITHIN EASY REACH**

The Moldex® One-Stop PlugShop® helps employers comply with OSHA 1910.95, which requires that employees be given the opportunity to select their hearing protection from a variety of suitable hearing protectors provided by the employer. The high visibility dispensers increase awareness so you won't waste time looking for earplugs.

# HYGIENIC FROM DISPENSER TO YOUR HAND

PlugStations are sealed to ensure that the plugs stay clean and sanitary. With PlugStations, earplugs drop right into the palm of your hand so you don't have to worry about plugs falling on the floor or trays collecting dust and contaminants.

### **EASY COMPLIANCE**

The One-Stop PlugShop Starter Kit (#0604) contains everything you need to get started in one easy package: three PlugStations, brackets, poster, hardware, and hanging template.

# **INDEPENDENTLY TESTED PROTECTION**

All Moldex earplugs have been independently tested in accordance with ANSI S3.19-1974 by Michael & Assoc., Inc., State College, PA. Moldex NRR 33 earplugs are the highest independently rated earplugs.

### **FEATURES**

- One-Stop PlugShop comes with three 250 pairs
   PlugStations (SparkPlugs®, Pura-Fit® and Goin' Green®),
   poster and hanging template.
- Give workers easy access to hearing protection.
- High visibility to increase awareness for your hearing conservation program.
- Clicking mechanism for easy use and dispensing.
- Chute delivers plugs right into the palm of your hand.
- Eliminates the mess of individually bagged packaging.
- Each dispenser is sealed and disposable.
- 100% PVC-Free.



6644 SparkPlugs, PlugStation Uncorded / 250 Pairs



6844 Pura-Fit, PlugStation Uncorded / 250 Pairs



6646 Goin' Green, PlugStation Uncorded / 250 Pairs



0601
Optional Dispenser
Tray for use with all
reusable and corded
foam earplugs



# ONE-STOP PLUGSHOP®

PART # / DESCRIPTION	DISPLAY	CASE
0604 One-Stop PlugShop® Starter Kit	750 Pairs	1 Kit
6844 Pura-Fit PlugStation	250 Pairs	6 Dispensers
6646 Goin' Green PlugStation	250 Pairs	6 Dispensers
6644 SparkPlugs PlugStation	250 Pairs	6 Dispensers

0602-710 One-Stop PlugShop Poster – English/French

#### **WARNING TO USER**

- Use this laboratory-derived attenuation data for comparison purposes only.
   The amount of protection afforded in field use often is significantly lower depending on how the protectors are fitted and worn.
- 2. Failure to follow all instructions could result in hearing loss or injury.
- Failure to obtain a proper fit will reduce effectiveness of hearing protectors and could result in hearing loss or injury.
- Over protection can be dangerous. The wearer must be able to hear warning signals.
- 5. Wearers with hearing loss should exercise extreme caution.
- 6. It is the employer's responsibility to ensure that the type of hearing protector and its rating is appropriate for the user in their particular workplace.
- Use caution when working around machinery or any other equipment to ensure neck cord does not become caught or entangled.
- 8. Failure to follow these warnings could result in serious injury or death.
- Moldex earplugs must only be used as part of a hearing conservation program that complies with applicable local safety and health regulations.

#### **MOLDEX TECHNICAL ASSISTANCE**

Moldex provides all of the technical assistance required to set up a hearing protection program. For more information call +1 (800) 421-0668 or +1 (310) 837-6500 ext. 512/550 or E-mail: tech@moldex.com or visit www.moldex.com.

Keep earplugs away from infants and small children as they may get caught in the windpipe and create a choking hazard.



#### **MEAN ATTENUATION DATA OF SPARKPLUGS®**

Tested According to ANSI Specs S3. 19-1974 Michael & Assoc., State College, PA.

Frequency (Hz)	125	250	500	1000	2000	3150	4000	6300	8000		
Real Ear Attenuation (dB)	42.3	43.7	46.6	40.9	38.6	44.7	46.9	49.3	48.3	NRR	CSA
Standard Deviation (dB)	5.0	6.0	5.8	4.2	2.8	3.2	3.3	4.2	3.6	33	AL

#### **MEAN ATTENUATION DATA OF GOIN' GREEN®**

Tested According to ANSI Specs S3. 19-1974 Michael & Assoc., State College, PA.

Frequency (Hz)	125	250	500	1000	2000	3150	4000	6300	8000		
Real Ear Attenuation (dB)	42.3	43.7	46.6	40.9	38.6	44.7	46.9	49.3	48.3	NRR	CSA
Standard Deviation (dB)	5.0	6.0	5.8	4.2	2.8	3.2	3.3	4.2	3.6	33	AL

# **MEAN ATTENUATION DATA OF PURA-FIT®**

Tested According to ANSI Specs S3. 19-1974 Michael & Assoc., State College, PA.

Frequency (Hz)	125	250	500	1000	2000	3150	4000	6300	8000				
Real Ear Attenuation (dB)	42.4	43.5	45.9	39.8	36.8	44.5	46.6	48.1	47.4	NRR	CSA		
Standard Deviation (dB)	4.9	4.2	4.9	3.4	2.0	3.7	2.9	4.6	4.7	33		33	AL



#### **MOLDEX-METRIC, INC.**

10111 West Jefferson Blvd. Culver City, CA 90232 TEL: +1 (800) 421-0668 or +1 (310) 837-6500

+1 (310) 837-6500 FAX: +1 (310) 837-9563 E-mail: sales@moldex.com www.moldex.com



Tel: +1 (800) 421-0668, Ext. 550/512 Fax: +1 (310) 837-9563







